SIEMENS

Building Technologies



Environmental Product Declaration

Product	Type of equipment	GDBxxx.xA/xx GDBxxx.xX/xx GLBxxx.xA/xx GLBxxx.xX/xx GDExxx.xA/xx GDExxx.xX/xx		
	Configured products	6FU1xxx-xDBxx-xxxx 6FU1xxx-xLBxx-xxxx		
	Designation	Damper Actu	lator	
	Product line	OpenAir [™]		
Process control	Siemens Switzerland Ltd. Gubelstrasse 22 6301 Zug			
	Management System		since	by
	ISO 14001 (Environment)	20.10.1998	BSI
	ISO 9001 (Quality)	-	22.07.1986	BSI
Product use	Typical energy consumption per year		226 kWh/a	
	Maintenance		Not necessary	
Risk of fire	Fire protection according to		EN60730 & UL873	
	Fire load		79 MJ	
Packaging	20-PAP Corrugated fiber board Cardboard & Paper 56 g			
	Notes on disposal	One-way, rec	cyclable	

Materials				Total weight device	479726g
Plastics		POM		Various Mechanical Parts	535 g
		ABS+PC GF 10 ABS		Housing	6786 g 45 g
				Cover	
		PA66 GF 30		Various Mechanical Parts	012 g
		PA		Various Mechanical Parts	04 g
		PUR		Various Mechanical Parts	12 g
		PA66 RF 20		Various Mechanical Parts	1113 g
		PA6 GF30		Various Mechanical Parts	06 g
		Q Silicone rubber		Various Mechanical Parts	02 g
		PC GF 10		Various Mechanical Parts	01 g
Metals		Steel		Various Steel Parts	191222 g
Others		PVC		PVC Cable	70175 g
		Steel / Copper		Synchronous Motor / Magnet	83 g
PCB assembled	FR4 / CEM1		SnAgCu	3P Types	6 g
	FR4 / CEM1		SnAgCu	010V	26 g
	FR4 / CEM1		SnAgCu	VAV MK2	25 g
	FR4 / CEM1		SnAgCu	VAV Comm- Version	

Disposal

The device should not be disposed of as unsorted municipal waste. The special treatment for specific components may be mandated by law or ecologically sensible. Observe all local and applicable laws.

Comments

Materials

The device is free from substances banned by the Directive 2011/65/EU (RoHS): Pb, Hg, Cr6+, PBB, PBDE: < 0.1 % by weight in homogeneous materials Cd: < 0.01 % by weight in homogeneous materials

SPECIAL COMPONENTS:

PVC OR OPTIONAL HALOGEN FREE POWER CABLE: 1.5m => +35g/2.5m => +110g/5m => +280g PVC OR OPTIONAL HALOGEN FREE OPT. POTENTIOM. CABLE: 1.5m => +35g/2.5m => +110g/5m => +280g PVC OR OPTIONAL HALOGEN FREE SWITCHES CABLE: 1.5m => +50g/2.5m => +200g/5m => +460g

Environmental benefits

HIGH TORQUE / FORCE AT SMALL SIZE AND WEIGHT! LOW POWER CONSUMPTION: 2...3VA EASILY DEMOUNTABLE

Emissions

This declaration is for information purpose only.

This Environmental Product Declaration does not constitute a guarantee of the composition of a product, neither does it guarantee that the product will retain a particular composition for a particular period.

Siemens Switzerland Ltd therefore does not assume liability for any error or for any consequences which may arise from the use of this information to the maximum extent under the law.

Please contact your local Siemens branch office to get further information on environmental aspects and disposal.