


LAD4RCU

suppressor module - TeSys D - RC circuit -
110...240 V AC



Main

| | |
|---------------------------|--|
| Range of product | TeSys D |
| Device short name | LAD4 |
| Product or component type | Suppressor module |
| Product compatibility | 3 poles LC1D09...D38 3 poles LC2D09...D38 LC1DT20...DT40 LC2DT20...DT40 |
| Mounting location | Side |
| Suppressor technology | RC circuit |
| Control circuit voltage | 110...240 V AC 100 Hz |

Complementary

| | |
|----------------------|----------|
| Maximum peak voltage | 3 Uc |
| Product weight | 0.012 kg |

Environment

| | |
|---------------------------------------|-------------|
| Ambient air temperature for operation | -25...55 °C |
| Ambient air temperature for storage | -40...80 °C |
| RoHS EUR conformity date | 0725 |
| RoHS EUR status | Compliant |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.